

# PRIMARY MFG

## TPU M95A

Picture  
Coming Soon

TPU M95A meets strict market requirements, such as outstanding surface/haptic properties and high abrasion resistance.

Technical Specifications	Measurement
Hardness	95 Shore A
Abrasion Volume Loss, X	140mm <sup>3</sup>
Abrasion Volume Loss, Z	120mm <sup>3</sup>
Tensile Strength, Max Load, X	11 MPa
Tensile strength, Max Load, Z	5 MPa
Elongation at break, X	180%
Elongation at break, Z	30%
Tear strength (Die C), X	80 kN/m
Tear strength (Die C), Z	33 kN/m
Flexural Modulus, X	85MPa